

### MATERIAL SAFETY DATA SHEET PEWTER BLACK -

TRADE NAME (AS LABELED): JAX PEWTER BLACK

CHEMICAL NAMES, COMMON NAMES: NONE

SYNONYMS: NONE

MANUFACTURER'S NAME: JAX Chemical Company, Inc.

ADDRESS: 78-11 267th Street, Floral Park, New York 11004

BUSINESS PHONE: 718-347-0057

CHEMICAL NAME	CAS #	% w/w	EXPOSURE LIMITS IN AIR	
			TLV	PEL
			ACGIH	OSHA
Hydrochloric Acid	7647-01-0	1.5-3.5	5 ppm(C)	5 ppm(C)
Selenious Acid	7783-00-8	< 1.0	$0.2 \text{ mg/m}^3$	$0.2 \text{ mg(Se)/m}^3$
Copper Sulfate*	7758-98-7	0.5 - 2.5	$1 \text{ mg}(Cu)/m^3$	$1.0 \text{ mg}(\text{Cu})/\text{m}^3$

#### THE REMAINING 93 to 97 % INCREDIENTS ARE NON-HAZARDOUS

SARA REPORTING REQUIREMENTS: THE CHEMICAL(S), LISTED IN THE HAZARDOUS INGREDIENTS SECTION, WHICH ARE MARKED WITH AN (\*) ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT.

VAPOR DENSITY: NO DATA

EVAPORATION RATE (WATER = 1): SIMILAR TO WATER

SPECIFIC GRAVITY: 1.02

MELTING POINT or RANGE: LESS THAN 32° F

SOLUBILITY IN WATER: SOLUBLE BOILING POINT: GREATER THAN 212° F

VAPOR PRESSURE, mm Hg @ 20 C: NO DATA

APPEARANCE & COLOR: LIGHT BLUE LIQUID

pH: 4.0

HOW TO DETECT THIS SUBSTANCE (warning properties): At room temperature this product is light blue liquid with no odor. No unusual warning properties.

THIS PRODUCT IS NON-FLAMMABLE AND NON-COMBUSTIBLE

FLASH POINT, F (method): N/A

AUTOIGNITION TEMPERATURE, F: N/A

FLAMMABLE LIMITS in air by volume, %: lower N/A upper N/A

FIRE EXTINGUISHING MATERIALS:

water spray: OK carbon dioxide: OK foam: OK

dry chemical: OK halon: OK other:

SPECIAL FIRE FIGHTING PROCEDURES: If involved in fire, use water spray. Fire Fighters must use Self Contained Breathing Apparatus. UNUSUAL FIRE & EXPLOSION HAZARDS: Contact with common metals can produce hydrogen which may form flammable or explosive mixtures with air. Product may decompose at high temperatures to form toxic gases.

SYMPTOMS OF OVER EXPOSURE by route of exposure:

INHALATION: Upper respiratory irritation. Metallic taste. Headache.

CONTACT WITH SKIN or EYES: Irritation and/or reddening and to skin and eyes. Change in skin pigmentation.

SKIN ABSORPTION: This product does not skin absorb to any appreciable degree.

INGESTION: Irritation to the GI tract, nausea, vomiting.

INJECTION: Local irritation at the site of injection, possible systemic

injury depending on dose.

HEALTH EFFECTS OR RISKS FROM EXPOSURE An explanation in lay terms.

ACUTE: This product cause may reddening, irritation, or burns to the eyes or skin. Irritation to the nose or throat may occur if you breath the product vapors. Headache, central nervous system depression, and giddiness and/or dizziness may result in sensitive individuals.

CHRONIC: Long term exposure to this product to may cause severe and/or persistent irritation and/or sensitizing to the eyes and skin. Irritation to the nose or throat. Skin color change. Lassitude, giddiness and dizziness may occur.

\_\_\_\_\_

FIRST AID EMERGENCY PROCEDURES:

If spilled on skin or eyes, immediately begin decontamination with running water. Remove exposed or contaminated clothing, taking care not to contaminate eyes. Victim & rescuers must seek immediate medical attention. If chemical is in eyes, open victim's eyes while under gentle running water. Use sufficient force to open eye lids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. If chemical is inhaled, remove victim to fresh air and use artificial respiration to support vital functions. Remove or cover gross contamination to avoid exposure to rescuer's. If chemical is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or can not swallow.

Victim of chemical exposure and all rescuers must be taken for medical attention. Take copy of label and MSDS to physician or health professional with victim.

SUSPECTED CANCER AGENT?

This product's ingredient's are / are not found on the following lists:

OSHA Z-2 LIST NTP IARC NO NO NO

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Any preexisting skin irritation or dermatitis can be aggravated by exposure to this product. Upper respiratory disfunction may also be aggravated by inhalation of the vapors of this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms of exposure.

VI REACTIVITY DATA
STABILITY: Stable under normal conditions.
CONDITIONS TO AVOID: NONE  MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Caustics.  HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  EXPILL & LEAK RESPONSE: Uncontrolled releases should be responded to using training people and pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Minimum PPE should be hard hat with face shield, splash goggles, respiratory protection (SCBA, unless conditions warrant lower protection), hand and body protection, and chemical protective boots.
PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate federal, state, and local regulations. This chemical, if unaltered by the handling, may be disposed of by standard industrial waste water treatment process.
VENTILATION & ENGINEERING CONTROLS: Use ventilation adequate to keep the airborne concentration below the TLV of the PEL (which ever is less) of the hazardous constituents.
RESPIRATORY PROTECTION: If ventilation is not adequate to reduce expose to this produce to a safe level, supplied air or respirator with approved NIOSH cartridge must be used.
EYE PROTECTION: Chemical splash goggles. HAND PROTECTION: Chemical resistant gloves.
BODY PROTECTION: Chemical resistant apron or full body protective clothing if the potential for whole body contamination exists.
WORK PRACTICES & HYGIENE PRACTICES: Observe all applicable and reasonable work practices consistent with the use of this product. Wash thoroughly with soap and water after each use.
STORAGE & HANDLING PRACTICES: Store in tightly closed container in cool dry location, protected from environmental extremes.
======================================
<u>LABELING (Precautionary Statements)</u> : WARNING! Keep out of reach of children. May be fatal or harmful if ingested. Contact with eyes or skin may cause irritation. Avoid contact with eyes, skin, food, cooking and eating utensils, clothing. Do not inhale fumes or vapors.
DOT LABEL(S): CORROSIVE
======================================
CHEMICAL SAFETY ASSOCIATES, Inc. 8388 Vickers St. San Diego, CA 92111

619/565-0302

DATE OF PREPARATION: October 18, 1989



# MASTER METAL FINISHING SOLUTIONS

#### **COLORANTS**

JAX Green Patina

Produces a permanent, authentic, antique green finish on copper, brass and bronze. Available in pints, quarts and gallons.

JAX Gold Finish

Produces a simulated gold finish on brass, silver and aluminum. Available in pints, quarts and gallons.

#### DARKENERS

JAX Brown Brass, Bronze and Copper Darkener
Produces an antique brown finish on brass, bronze and copper. Available in pints, quarts and gallons.

JAX Brown-Black Brass, Bronze and Copper Darkener
Produces and antique brown-black finish on brass, bronze and copper. Available in pints, quarts and gallons.

JAX Black Brass, Bronze and Copper Darkener
Produces and antique black finish on brass, bronze and copper. Available in pints, quarts and gallons.

JAX Flemish Gray-Black Brass, Bronze and Copper Darkener
Produces an antique Flemish, gray-black finish on brass, bronze and copper. Available in pints, quarts and gallons.

#### **BLACKENERS**

JAX Silver Blackener

Produces a dark, black antique finish on silver and gold. Available in pints, quarts and gallons.

JAX Pewter Black

Produces a dark, black antique finish on pewter, lead, brass, bronze, copper, nickel, tin-lead alloys and solders. Available in pints, quarts and gallons.

JAX Iron, Steel and Nickel Blackener

Produces an antique, metallic black finish in seconds on iron, steel, cast iron and nickel. Available in pints, quarts, and gallons.

### JAX MASTER METAL PLATING SOLUTIONS

**JAX Silver Plating Solution** 

Plates pure silver onto copper, brass, bronze and silver. Available in half-pints and pints.

JAX Copper Plating Solution

Instantly plates copper onto iron, steel, brass and solders. Available in pints, quarts and gallons.

## JAX MASTER METAL CLEANING SOLUTIONS

**JAX Rust Remover** 

A rust remover and an effective pre-paint primer for iron and steel. Available in pints, quarts and gallons.

JAX Rust Preventer
Protects iron and steel from rust. Available in pints, quarts and gallons.

**JAX Tarnish Preventer** 

Prevents tarnish on clean brass, bronze and copper. Available in pints, quarts and gallons.

JAX Instant Silver Cleaner

A heavy-duty cleaner that removes tarnish and oxidation from the blackest silver. Available in pints, quarts and gallons.

JAX Instant Brass and Copper Cleaner

A heavy-duty cleaner that removes tarnish and oxidation from the blackest copper, brass and bronze.

Available in pints, quarts and gallons.

JAX Brass, Copper and Gold Cleaner
A light-duty cleaner for delicate metals. Removes tarnish and surface contamination from fine gold finishes, bronzes, lamps, lighting fixtures, jewlery and antiques. Contains no abrasives. Leaves no residue. Available in pints, quarts and gallons.

JAX Brass, Copper, Gold and Marble Cleaner

A heavy-duty cleaner that removes tarnish, surface dirt, old lacquer and grease from brass, bronze and copper, yet safe for use on gold and marble. Available in pints, quarts and gallons.

### JAX MASTER METAL POLISHING SOLUTIONS

JAX Silver Cleaner and Polish

Chemically cleans and polishes the blackest silver in one application. Does not strip surface to a raw, dull finish. Incorporates a special polish that will not harm or streak the most delicate surfaces. Available in pints and quarts.

JAX Metal Cleaner Polish

Chemically cleans and polishes tarnished brass, bronze, copper, pewter, nickel and steel. Removes oxidation, surface dirt, oil and fingerprints. Available in pints and quarts.

ALL JAX METAL FINISHING, CLEANING AND POLISHING SOLUTIONS:

• Are used and recommended by numerous sculptuors, architects and craftsmen.

, consistent results.
Are safe and easy to use.
Require no heat or electricity.
Are water-based and contain no sulfur.
Are fully guaranteed. • Produce authentic, consistent results.



Chemical Company, Inc. 78-11 267th Street, New York 11004 (718) 347-0057